

 **SwissStop**[®]
cycling brake power



2025

ENGLISH



**BECAUSE YOU RIDE
EVERYWHERE.**

CONTENTS

- 4-5 Introduction
- 6-7 Teams and Athlete Partners
- 8-9 Catalyst Disc Brake Rotor Overview
- 10-11 Catalyst ONE
- 12-13 Catalyst PRO
- 14 Catalyst RACE
- 15 Catalyst Rotors - Notes from the Lab
- 16-17 Accessories
- 18-19 PAIR & FAIR Project
- 20-21 Disc Brake Pad Compound Overview
- 22-23 Disc RS
- 24-25 Disc E
- 26-28 Disc C
- 29 Disc Brake Power Clean
Disc Brake Silencer
- 30-31 EXOTherm2
- 32-33 Rim Brake Pad Compound Overview
- 34 Models For Road Bikes
- 35 Models For City and Trekking
OEM Partners and Compatibility



CONSTANT EVOLUTION

The world of cycling is on the move - changing rapidly and sometimes radically - so SwissStop continues to evolve. With investment in manufacturing capabilities, development of new products, and unique initiatives focused on environmental responsibility, SwissStop consistently exceeds customer expectations. At the same time, we maintain our decades old traditions of design, quality and performance to ensure continuity from past to present and to the future.

INVESTMENT IN MANUFACTURING

Further investments are being made in disc brake pad production at the SwissStop factory in Mendrisio, Switzerland. Here, the ultra-modern, automated production line ensures high quality products and provides the large capacity required to meet market demand. SwissStop is proud to announce ongoing investment in Swiss manufacturing.

DEVELOPMENT OF NEW PRODUCTS

Product development at SwissStop continues to be focused on brake pads, rotors and accessories for disc brake systems.

For 2025 new models will be added to the SwissStop family of disc brake pads. Testing and research into new applications for high-performance materials continues in our lab.

NEW PRODUCT HIGHLIGHTS 2025

Disc C: new models for Shimano and SRAM brakes, new product positioning and a new price point.

Disc E: new model for SRAM Maven.

Disc RS: new model for SRAM Maven.

ENVIRONMENTAL RESPONSIBILITY

SwissStop introduced the PAIR & FAIR project during the summer of 2024. This initiative marked several 'firsts' for the brand:

- first products offering two pair of disc pads per package
- first all-paper product packaging
- first SwissStop program to donate to cleaning plastics from global waterways

For more information on the PAIR & FAIR project, please see pages 16-17.

THE FUTURE

In the future, SwissStop will continue this commitment to sustainability by further reducing the amount of plastic used in packaging SwissStop products. In addition to the special Pair & Fair project twin packs, the new, 100% paper box packing will be used for the traditional single pair package format throughout the product line in the future. We are happy to announce that the first of these products have already been converted to the new packaging format.

SwissStop.

BECAUSE YOU RIDE EVERYWHERE.



Visit our website at www.SwissStop.ch



TEAMS AND ATHLETE PARTNERS

PRACTICAL TESTING THAT IMPROVES YOUR RIDE


There is no environment harder on the bicycle brake system than competition. For decades SwissStop has supported teams and riders around the world. We work very closely with them to test products and gather feedback on brake system performance and durability. Team sponsorship is a crucial part of our continual cycle of product development and innovation. In 2025, we continue to expand and diversify the field of athletes and disciplines they ride to include road, MTB, cyclocross and gravel.

© Vincent Fardet

WORLDWIDE ON ROAD, DIRT AND GRAVEL



CATALYST DISC BRAKE ROTORS DESIGN AND FEATURE OVERVIEW



HIGH PERFORMANCE

- 01 OPTIMIZED BRAKE RING DESIGN**
A unique, performance optimized brake ring was developed during an extensive R&D project focused on design and thermodynamic characteristics of bicycle disc brake systems.
- 02 CAREFULLY SELECTED MATERIALS**
High grade stainless steel and aluminum alloys provide resistance to warping and long service life.
- 03 OPTIMIZED BRAKE RING THICKNESS**
Provides the ideal balance between brake performance and weight.
- 04 WEAR OUT INDICATORS**
Help identify when it is time to replace the rotor.
- 05 PRECISION GROUND SURFACES**
Brake ring surfaces are precision ground to be flat and parallel.
- 06 ROUNDED PERIMETER EDGE**
Rider friendly and select models are UCI approved for road cycling competition.

ABUNDANT OPTIONS

- 07 SIZES FROM 140 - 220 MM**
Allows the rider to choose the optimal rotor size for their application.
- 08 INDUSTRY STANDARD MOUNTING OPTIONS**
6-Bolt and Centerlock interfaces provide easy compatibility with modern bicycles.
- 09 E-BIKE SPEED SENSOR MAGNET COMPATIBILITY**
Select models support installation of a speed-sensor magnet.

THE CATALYST FAMILY



CATALYST | ONE
disc rotor



SIMPLY POWERFUL BRAKING

The entry into the Catalyst family. Full braking power for everyone.

More on p. 10.



CATALYST | PRO
disc rotor



READY FOR EVERYTHING

Durable, extremely stiff and used successfully by top teams in road, MTB and cyclocross for years. The brake rotor that is ready for all applications.

More on p. 12.



CATALYST | RACE
disc rotor



LIGHTWEIGHT AND WITHOUT COMPROMISE

No compromises.

The disc brake rotor for racers and those chasing the lightest bike builds. Weight-reduced design without sacrificing braking performance.

More on p. 14.

CATALYST / ONE

disc rotor



CATALYST ONE

SIMPLY POWERFUL BRAKING



CATALYST ONE - WHO IS IT FOR?


The entry into the Catalyst Disc Brake Rotor Family offering premium braking performance and broad compatibility options. Ideal for budget conscious riders and suitable for a wide range of applications.

TECHNICAL OVERVIEW

- 1.95 mm brake ring thickness
- Wear-out indicators
- Rounded perimeter edge
- 140 | 160 | 180 | 203 | 220 mm
- 6-Bolt and Centerlock interfaces available
- 140 and 160 mm are UCI approved


140 mm Centerlock

Diameter 140 mm
Thickness 1.95 mm
Weight 142 g
Art-Nr. P100006264
EAN 7640121225130




140 mm 6-Bolt

Diameter 140 mm
Thickness 1.95 mm
Weight 100 g
Art-Nr. P100006100
EAN 7640121224362




160 mm Centerlock

Diameter 160 mm
Thickness 1.95 mm
Weight 162 g
Art-Nr. P100006235
EAN 7640121224645




160 mm 6-Bolt

Diameter 160 mm
Thickness 1.95 mm
Weight 114 g
Art-Nr. P100006101
EAN 7640121224379




180 mm Centerlock

Diameter 180 mm
Thickness 1.95 mm
Weight 187 g
Art-Nr. P100006236
EAN 7640121224652




180 mm 6-Bolt

Diameter 180 mm
Thickness 1.95 mm
Weight 156 g
Art-Nr. P100006102
EAN 7640121224386




203 mm Centerlock

Diameter 203 mm
Thickness 1.95 mm
Weight 250 g
Art-Nr. P100006237
EAN 7640121224669




203 mm 6-Bolt

Diameter 203 mm
Thickness 1.95 mm
Weight 192 g
Art-Nr. P100006103
EAN 7640121224393




220 mm Centerlock

Diameter 220 mm
Thickness 1.95 mm
Weight 285 g
Art-Nr. P100006238
EAN 7640121224676



220 mm 6-Bolt

Diameter 220 mm
Thickness 1.95 mm
Weight 218 g
Art-Nr. P100006104
EAN 7640121224409



CATALYST/PRO

disc rotor

CATALYST PRO

READY FOR EVERYTHING



CATALYST PRO - WHO IS IT FOR?

From exploring the local backroads to bikepacking expeditions through the Andes, Catalyst Pro provides the consistent brake power, durability and features that meet the needs of adventurous riders and competitive athletes alike.


Available in a range of sizes to suit bikes from gravel to downhill.

TECHNICAL OVERVIEW

- Brake ring thickness is optimized and specific to each diameter
- Aluminum spider and two-piece construction reduce weight and improve resistance to warping
- Wear-out indicators
- Rounded perimeter edge
- 140 | 160 | 180 | 203 | 220 mm
- 6-Bolt and Centerlock interfaces available
- 160 - 220 mm are speed sensor magnet compatible
- 140 and 160 mm are UCI approved


140 mm Centerlock

Diameter 140 mm
Thickness 1.85 mm
Weight 123 g
Art-Nr. P100005612
EAN 7640121223808




140 mm 6-Bolt

Diameter 140 mm
Thickness 1.85 mm
Weight 108 g
Art-Nr. P100005008
EAN 7640121223174




160 mm Centerlock

Diameter 160 mm
Thickness 1.80 mm
Weight 138 g
Art-Nr. P100005493
EAN 7640121223761




160 mm 6-Bolt

Diameter 160 mm
Thickness 1.80 mm
Weight 124 g
Art-Nr. P100005009
EAN 7640121223181




180 mm Centerlock

Diameter 180 mm
Thickness 1.90 mm
Weight 173 g
Art-Nr. P100005494
EAN 7640121223778




180 mm 6-Bolt

Diameter 180 mm
Thickness 1.90 mm
Weight 160 g
Art-Nr. P100005010
EAN 7640121223198




203 mm Centerlock

Diameter 203 mm
Thickness 1.95 mm
Weight 214 g
Art-Nr. P100005708
EAN 7640121223983




203 mm 6-Bolt

Diameter 203 mm
Thickness 1.95 mm
Weight 200 g
Art-Nr. P100005011
EAN 7640121223204




220 mm Centerlock

Diameter 220 mm
Thickness 1.95 mm
Weight 255 g
Art-Nr. P100006045
EAN 7640121224195



220 mm 6-Bolt

Diameter 220 mm
Thickness 1.95 mm
Weight 235 g
Art-Nr. P100006046
EAN 7640121224201



CATALYST | RACE

disc rotor



CATALYST RACE

LIGHTWEIGHT AND WITHOUT COMPROMISE


140 mm Centerlock

Diameter 140 mm
 Thickness 1.80 mm
 Weight 110 g
 Art-Nr. P100006095
 EAN 7640121224324



160 mm Centerlock

Diameter 160 mm
 Thickness 1.80 mm
 Weight 122 g
 Art-Nr. P100006096
 EAN 7640121224331



CATALYST RACE - WHO IS IT FOR?

If you are chasing the fastest segment times, racing to win, or just want the lightest builds on your road or gravel bikes without sacrificing brake performance, Catalyst Race is for you.


TECHNICAL OVERVIEW

- 1.80 mm brake ring thickness
- Aluminum spider and two-piece construction reduce weight and improve resistance to warping
- Wear-out indicators
- Rounded perimeter edge
- 140 - 160 mm
- Centerlock interface
- UCI approved for road cycling competition

Catalyst Development - Notes from The Lab


2015 — Development Begins

The SwissStop engineering team conducted a series of laboratory tests on bicycle brake disc rotors. Next, they created digital models of these rotors and simulated the same test environments using advanced software. A comparison of the data verified that the simulations were accurate and effective, giving the engineers confidence to proceed with creating an array of digital prototypes to thoroughly test and evaluate.



Heat transfer within the design concepts was studied extensively using advanced engineering software. The relationships between convection, radiation, surface area and weight were used to determine the optimal design to maximize heat dissipation and strength while minimizing weight.


Computational fluid dynamics (CFD) simulations were performed to study airflow over the surface of the rotor and through the cut-outs in the brake pad contact area. A variety of profiles were tested to determine the effects of asymmetrical holes and optimize the cooling effect of airflow over the surfaces.



2016 — First Catalyst Model Announced

The performance of the Catalyst design was confirmed with further digital modelling and thermodynamic simulation studies. Following this phase, physical prototypes were produced for extensive lab and field testing. The process validated the design. Upon completion, the first Catalyst model, featuring a 7075T6 aluminum alloy spider and SUS410 stainless steel brake track, was formally announced.

Final Design



2017-2020 — Cyclists of all types, including top MTB, Cyclocross and UCI World Tour road athletes, discover the power, durability and reliability of Catalyst rotors.

2021 — The SwissStop engineering team applied the Catalyst design concept to new rotor designs, focusing on the requirements of ever-more specific applications that riders encounter. New one-piece and race-optimized two-piece models are developed.

TODAY — SwissStop sponsored teams and ambassador athletes continue to ride Catalyst disc brake rotors in a diverse range of competitive and extreme endurance conditions. Feedback from these partners supports ongoing product knowledge and R&D programs.

More information on SwissStop teams and ambassador athletes can be found on p. 6-7.



View the SwissStop disc brake rotor installation tutorial.

ACCESSORIES

- Unique and highly effective disc brake service sprays
- Adapters and accessories for disc brake rotors
- Branded lifestyle and utility items



DISC BRAKE SERVICE



Disc Brake Power Clean
500 ml

Art-Nr. P100006047
EAN 7640121224218



Disc Brake Silencer
50 ml

Art-Nr. P100002354
EAN 7640121221675



Disc Brake Silencer
400 ml

Art-Nr. P100004436
EAN 7640121222856

Learn more about Disc Brake Power Clean and Disc Brake Silencer on p. 29.

ADAPTERS AND LOCKRINGS



Centerlock Adapter
Adapt 6-Bolt rotor to Centerlock

Art-Nr. P100006105
EAN 7640121224416



Centerlock Lockring
Rotor Ø 160 mm max.

Art-Nr. P100006239
EAN 7640121224683



Centerlock Lockring
Rotor Ø 220 mm max.

Art-Nr. P100006280
EAN 7640121225239

E-BIKE SPEED SENSOR MAGNET



E-Bike Magnet
e-bike speed sensor magnet

Art-Nr. P100006270
EAN 7640121225208

EVERYDAY UTILITY



Backpack
35 x 45 cm

Art-Nr. P100006278



Musette
35 x 30 cm

Art-Nr. P100006279



E-Bike Speed Sensor Magnet installation.



Compressed Towel
30 x 60cm

Art-Nr. P100003788




Disc Poster
364 x 364mm

Art-Nr. P100004322



PAIR & FAIR PROJECT



TWO PAIR OF PADS & ENVIRONMENTALLY FAIR PACKAGING

- ✓ NEW PACKAGING MADE ENTIRELY FROM RECYCLED PAPER
- ✓ SIX OF THE MOST COMMON PAD MODELS AVAILABLE
- ✓ SUPPORTS THE CLEANUP OF WATERWAYS



EFFICIENT PACKING

Two PAIR of pads in each box. By packing two complete sets of brake pads in one box, we are able to cut the amount of packing material required in half. This greatly reduces the environmental impact of the packing itself, but also improves the efficiency of warehousing, transportation and retail display space.



SUSTAINABLE MATERIALS

PAIR & FAIR introduces a new packaging design for SwissStop disc brake pads. It features a 100% paper-based construction, with materials being fully FSC certified. This new design represents a significant step forward in the sustainability of our product packaging.




SUPPORTS WATERWAY CLEAN-UP

Our commitment to FAIR treatment of the environment through the PAIR & FAIR project includes a donation to everwave, a non-profit group that cleans plastic and other waste from waterways around the globe.

[everwave](#)

DISC BRAKE PAD COMPOUNDS

DESIGN AND FEATURE OVERVIEW



PERFORMANCE, VERSATILITY AND CHOICE

- 01 HIGHLY OPTIMIZED PAD COMPOUNDS**
Each of the four compounds has been developed to enhance your ride experience by improving brake performance.
- 02 PREMIUM MATERIALS AND STATE OF THE ART PRODUCTION**
SwissStop disc pad compounds are durable and rotor friendly.
- 03 BROAD RANGE OF MODELS**
Models are available to fit brake systems found on most modern bicycles.
- 04 FOUR DISTINCT CHOICES**
Allow the rider to select pads that are the ideal match for their application, riding style and personal preferences.
- 05 ACCESSORY ITEMS AND DESIGN DETAILS**
Pad sets include replacement spring, bolt or pin where applicable. Select models feature a chamfered edge on the pad compound to ease wheel installation.

YOU WILL FEEL THE DIFFERENCE



RACE READY SILENT POWER

The powerhouse in all conditions. Maximum power and little noise in dry and wet conditions make Disc RS a perfect choice for competitive riders and performance focused enthusiasts.

More on p. 22.



HIGH ENDURANCE EASY MODULATION

The long-distance champion with powerful braking. Good modulation, high temperature stability and extremely good durability mean this compound is ideal for frequent riders, mountain bikers, e-MTB riders and cargo bikers.

More on p. 24.



SMOOTH POWER LOW NOISE

The ideal allround pad for the everyday rider. With a well-balanced combination of performance characteristics, this pad compound offers excellent brake power with minimal effort at the lever. In many cases it can be also a problem solver for unpleasant brake noise.

More on p. 26.



MAXIMUM PAD LIFE MINIMUM BRAKE FADE

High performance pad compound with exceptional durability and optimized heat management. The special design with cooling fins ensures low temperatures throughout the braking system and minimal fading. In addition, the pad is characterized by very low wear rates.

More on p. 30.



DISC RS


DISC RS

RACE READY SILENT POWER

CHARACTERISTICS - RATED

INITIAL BITE	10
MODULATION	8
LONGEVITY	8
HEAT TOLERANCE	8
NOISE - DRY	10
NOISE - WET	10

0 - 10 (best)



SMOOTH, POWERFUL BRAKING

Disc RS is an organic compound which delivers powerful braking and precisely balances the performance characteristics important to racers and performance minded enthusiasts. This includes:

- consistently silent operation
- smooth feel in the brake lever
- predictable and progressive brake power
- very high durability

QUIET IN BOTH WET AND DRY CONDITIONS

Disc RS provides extremely quiet operation in all environmental conditions including wet, dry, snow and ice.

THIN BACKPLATE DESIGN

At 1.60 mm thick the steel backplate saves weight over standard designs, yet provides the preferred thermal characteristics, strength and stability of steel.

The reduced backplate thickness is offset by additional friction material, providing longer pad service life.

BALANCED PERFORMANCE

Disc RS offers a well balanced combination of brake performance, durability and incredibly low noise in all conditions. This finely tuned compound provides an ideal riding experience which is not found in other disc brake pads.

NEW

DISC 36 RS

Fits SRAM Maven
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100006815
EAN 7640121225680



DISC 34 RS

Fits Shimano Flat Mount
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005052
EAN 7640121223297



PAIR & FAIR Twin Pack option available.

DISC 31 RS

Fits AVID XO Trail, Elixir Trail
SRAM G2, Guide Series
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005719
EAN 7640121223952



DISC 29 RS

Fits SRAM Code R/RSC
Guide RE
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100006051
EAN 7640121224232



DISC 27 RS

Fits Shimano Four Piston
XTR, XT, SLX, SAINT, ZEE
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100006049
EAN 7640121224225



DISC 35 RS

Fits SRAM eTap AXS
Level Ultimate
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005796
EAN 7640121224003



PAIR & FAIR Twin Pack option available.

DISC 32 RS

Fits SRAM HRD
Level Ultimate, TLM
Set Includes Pads, Spring, Bolt
Art-Nr. P100005051
EAN 7640121223280



DISC 30 RS

Fits Magura MT 2,4,6,8
CAMPA Road Disc
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005050
EAN 7640121223273



DISC 28 RS

Fits Shimano Two Piston
XTR, XT, SLX
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100004812
EAN 7640121223266



DISC 15 RS

Fits Shimano Deore
TRP HY/RD, Spyre
Set Includes Pads, Spring, Pin
Art-Nr. P100006282
EAN 7640121225185





DISC E

DISC E

HIGH ENDURANCE
EASY MODULATION

CHARACTERISTICS - RATED

- long lasting, high endurance pad compound
- very easy modulation of braking force
- high temperature stability for consistent brake power
- organic formula is low noise and rotor friendly

INITIAL BITE	7
MODULATION	9
LONGEVITY	9
HEAT TOLERANCE	9
NOISE - DRY	9
NOISE - WET	7

0 - 10 (best)

NEW

DISC 36 E

Fits SRAM Maven
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100006852
EAN 7640121225703



DISC 35 E

Fits SRAM eTap AXS Level Ultimate
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005797
EAN 7640121224010



PAIR & FAIR Twin Pack option available.

DISC 34 E

Fits Shimano Flat Mount
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005012
EAN 7640121223211



PAIR & FAIR Twin Pack option available.

DISC 32 E

Fits SRAM HRD Level Ultimate, TLM
Set Includes Pads, Spring, Bolt
Art-Nr. P100005157
EAN 7640121223242



DISC 30 E

Fits Magura MT 2,4,6,8
CAMPA Road Disc
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100003793
EAN 7640121222504



DISC 28 E

Fits Shimano Two Piston XTR, XT, SLX
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100003792
EAN 7640121222498



DISC 26 E

Fits AVID Elixir | SRAM XX, XO, DB, Level TL, Level T
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100003791
EAN 7640121222481



DISC 33 E

Fits Magura MT 5,7
Set Includes Pads, Bolt, Clip
Art-Nr. P100005620
EAN 7640121223822



DISC 31 E

Fits AVID XO Trail, Elixir Trail SRAM G2, Guide Series
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005265
EAN 7640121223358



DISC 29 E

Fits SRAM Code R/RSC Guide RE
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005619
EAN 7640121223815



DISC 27 E

Fits Shimano Four Piston XTR, XT, SLX, SAINT, ZEE
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100005266
EAN 7640121223341



PAIR & FAIR Twin Pack option available.

DISC 15 E

Fits Shimano Deore TRP HY/RD, Spyre
Set Includes Pads, Spring
Art-Nr. P100003790
EAN 7640121222474



PAIR & FAIR Twin Pack option available.



DISC C

SMOOTH POWER
LOW NOISE

- excellent all-around performance for everyday riding
- low brake noise
- new budget-friendly price point
- two new models for 2025

CHARACTERISTICS - RATED

INITIAL BITE	9
MODULATION	8
LONGEVITY	7
HEAT TOLERANCE	7
NOISE - DRY	9
NOISE - WET	9

0 - 10 (best)

VERSATILITY, CAPABILITY AND VALUE

SwissStop Disc C compound brake pads are the ideal choice for every-day riders, leisure cyclists and commuters.

They offer a well balanced blend of braking performance, user-friendliness and durability. In many cases they are also a problem solver for unpleasant brake noise.

Disc C pads also offer excellent value for money with long pad life and wallet friendly pricing.

BROAD RANGE OF MODELS AVAILABLE

Disc C is a time-tested pad compound and is available in 17 different models to fit a wide range of brake systems. Two new models for 2025 allow use of Disc C on even more types of bicycles.

APPLICATIONS

- leisure and recreational cycling
- city and commuter
- MTB XC
- casual road and gravel

NEW

DISC 35 C

Fits SRAM eTap AXS Level Ultimate
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100006806
EAN 7640121225666



NEW


DISC 34 C

Fits Shimano Flat Mount
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100006804
EAN 7640121225642



DISC 33 C

Fits Magura MT 5,7
Set Includes Pads, Bolt, Clip
Art-Nr. P100004288
EAN 7640121222726



DISC 32 C

Fits SRAM HRD Level Ultimate, TLM
Set Includes Pads, Spring, Bolt
Art-Nr. P100003789
EAN 7640121222467



DISC 31 C

Fits AVID XO Trail, Elixir Trail
SRAM G2, Guide Series
Set Includes Pads, Spring
Art-Nr. P100003239
EAN 7640121222177



DISC 30 C

Fits Magura MT 2,4,6,8
CAMPA Road Disc
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100002876
EAN 7640121221996



DISC 29 C

Fits SRAM Code R/RSC Guide RE
Set Includes Pads, Spring
Art-Nr. P100001653
EAN 7640121221774



DISC 28 C

Fits Shimano Two Piston XTR, XT, SLX
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100001652
EAN 7640121221767



DISC 27 C

Fits Shimano Four Piston XTR, XT, SLX, SAINT, ZEE
Set Includes Pads, Spring
Art-Nr. P100001651
EAN 7640121221309



DISC 26 C

Fits AVID Elixir | SRAM XX, XO, DB, Level TL, Level T
Set Includes Pads, Spring, Bolt, Clip
Art-Nr. P100001650
EAN 7640121220760



DISC 25 C

Fits Formula RO, R1, T1
Set Includes Pads, Spring
Art-Nr. P100001425
EAN 7640121220753



DISC 23 C

Fits Hayes Stroker Ryde
Set Includes Pads, Spring
Art-Nr. P100001426
EAN 7640121220739



DISC 21 C

Fits Magura Marta 2009
Set Includes Pads, Bolt
Art-Nr. P000730021
EAN 7640121220661



DISC 18 C

Fits Formula ORO
Set Includes Pads
Art-Nr. P000730018
EAN 7640121220531



DISC 17 C

Fits Avid Juicy, BB7
Set Includes Pads, Spring
Art-Nr. P000730017
EAN 7640121220470



DISC 15 C

Fits Shimano Deore TRP HY/RD, Spyre
Set Includes Pads, Spring, Pin
Art-Nr. P000730015
EAN 7640121220395



DISC BRAKE SERVICE

CLEAN

QUIET



disc brake POWER-CLEAN

disc brake SILENCER

SwissStop Disc Brake Power-Clean is the acetone-free solution for degreasing, loosening stuck parts and taking care of bicycle disc brake components. Soiled brake systems and metal parts are freed from organic and mineral dirt in no time - even adhesive residues can be removed. It displaces moisture, evaporates without a trace and can help prevent brakes from squealing.

SwissStop Disc Brake Silencer is a high-performance metallic-based release agent with a biologically degradable carrier fluid.

Properties:

- prevents and reduces brake squealing, without impairing the braking effect
- simultaneously dissipates heat
- prevents non-uniform wear
- eliminates vibration on braking




Scan code to learn more and watch video on how to apply SwissStop Disc Brake Silencer.



EXOTHERM2

EXOTHERM2

**MAXIMUM PAD LIFE
MINIMUM BRAKE FADE**



CHARACTERISTICS - RATED

INITIAL BITE	7
MODULATION	9
LONGEVITY	10
HEAT TOLERANCE	10
NOISE - DRY	9
NOISE - WET	7

0 - 10 (best)

THE BENEFITS OF COOLING FINS

With cooling fin equipped EXOTHERM2 pads, brake system temperatures are dramatically lower than with standard pads. The lower temperatures help reduce wear on pads and rotors, extending the service life of your components.

Cooling fins also help reduce brake fade, which is caused by excessive heat in the brake system. The result is a more consistent brake response, even in extreme conditions.

EXCEPTIONAL PERFORMANCE AND DURABILITY

Based on the award winning SwissStop Disc E compound, EXOTHERM2 provides high performance braking at all levels of use with very low pad wear rates.

APPLICATIONS

- MTB DH, MTB Enduro
- e-MTB
- road and gravel in extreme conditions
- bikepacking with heavy loads

DISC 35 EXOTHERM2

Fits **SRAM eTap AXS Level Ultimate**
 Set Includes **Pads, Spring, Bolt, Clip**
 Art-Nr. **P100006272**
 EAN **7640121225154**



DISC 34 EXOTHERM2

Fits **Shimano Flat Mount**
 Set Includes **Pads, Spring, Bolt, Clip**
 Art-Nr. **P100005317**
 EAN **7640121223631**



DISC 32 EXOTHERM2

Fits **SRAM HRD Level Ultimate, TLM**
 Set Includes **Pads, Spring, Bolt**
 Art-Nr. **P100005316**
 EAN **7640121223624**



DISC 31 EXOTHERM2

Fits **AVID XO Trail, Elixir Trail SRAM G2, Guide Series**
 Set Includes **Pads, Spring, Bolt, Clip**
 Art-Nr. **P100005315**
 EAN **7640121223617**



DISC 30 EXOTHERM2

Fits **Magura MT 2,4,6,8 CAMPA Road Disc**
 Set Includes **Pads, Spring, Bolt, Clip**
 Art-Nr. **P100005314**
 EAN **7640121223600**



DISC 28 EXOTHERM2

Fits **Shimano Two Piston XTR, XT, SLX**
 Set Includes **Pads, Spring, Bolt, Clip**
 Art-Nr. **P100005310**
 EAN **7640121223563**



DISC 27 EXOTHERM2

Fits **Shimano Saint M820, Zee M640 XT M8020**
 Set Includes **Pads, Spring, Bolt, Clip**
 Art-Nr. **P100005312**
 EAN **7640121223587**



DISC 25 EXOTHERM2

Fits **Formula R0, R1, T1**
 Set Includes **Pads, Spring**
 Art-Nr. **P100005313**
 EAN **7640121223594**



RIM BRAKE PAD COMPOUNDS

DESIGN AND FEATURE OVERVIEW



ENGINEERED TO IMPROVE YOUR RIDE

- 01** HIGHLY OPTIMIZED PAD COMPOUNDS
Decades of experience, extensive R&D, premium materials and innovative production techniques combine to provide finely tuned brake performance.
- 02** DURABLE POLYMERS
Exceptional pad durability is the result of advanced chemistry. Pads are pliable and rim friendly, yet wear resistant.
- 03** WIDE RANGE OF COMPOUNDS AND MODELS
Two compounds for aluminum rims and two compounds for carbon rims are available. Models to fit all popular rim brake systems. Full Type options include pad holders.
- 04** DESIGNED AND MANUFACTURED WITH PRECISION
Mounting profiles and retention screw recesses provide compatibility and easy installation.
- 05** ASYMMETRIC PAD GEOMETRY
The pad design further enhances brake performance by allowing evacuation of water and debris, while also minimizing vibration.

PERFORMANCE BRAKING FOR EVERY RIDER



**ORIGINAL
BLACK**



SMOOTH, RIM FRIENDLY
BRAKING

Ideal pad for everyday use.

Compound works well on all aluminum rims and well suited for softer alloys, including magnesium.

COMPATIBILITY: **ALUMINUM RIMS**



BXP



EXTREME PERFORMANCE

High performance compound for alloy wheels. Improved power and modulation with excellent wet weather stopping power.

COMPATIBILITY: **ALUMINUM RIMS**



**YELLOW
KING**



FOR CARBON RIMS

High performance compound for carbon wheels. Excellent stopping power wet and dry with superior modulation and low pad wear rates.

COMPATIBILITY: **CARBON RIMS**



**BLACK
PRINCE**



EXCELLENT MODULATION

Excellent modulation, cooler temperatures and great wet weather brake performance.

Black Prince brings the feel of braking on alloy wheels to carbon wheels.

COMPATIBILITY: **CARBON RIMS**

MODELS FOR ROAD BIKES

FOR ALU RIMS

FOR CARBON RIMS

ORIGINAL BLACK

BXP

YELLOW KING

BLACK PRINCE



Art-Nr. **P100001815**
EAN 7640121221316

Art-Nr. **P100003203**
EAN 7640121222115

Art-Nr. **P100001833**
EAN 7640121221323

Art-Nr. **P100003205**
EAN 7640121222139

FlashPRO

Fits SRAM | Shim Road and Campa retention screw type



Art-Nr. **P100001881**
EAN 7640121221354

Art-Nr. **P100003331**
EAN 7640121222399

Art-Nr. **P100001882**
EAN 7640121221361

Art-Nr. **P100003330**
EAN 7640121222382

FlashPRO FULL TYPE

Fits SRAM | Shim Road

FlashEVO

Fits SRAM | Shim Road and Campa retention screw type



Art-Nr. **P100003763**
EAN 7640121222443

Art-Nr. **P100003762**
EAN 7640121222436



Art-Nr. **P100002482**
EAN 7640121221705

Art-Nr. **P100003208**
EAN 7640121222160

Art-Nr. **P100002484**
EAN 7640121221729

Art-Nr. **P100003206**
EAN 7640121222146

RacePRO

Fits Campa with retention spring or friction fit (10 sp and newer)

MODELS FOR CITY AND TREKKING

FOR ALUMINUM RIMS

ORIGINAL BLACK

GREY ECONOMY

ACCESSORY ITEMS



VikingPRO

Art-Nr. **P100002773**
EAN 7640121221880

RxPLUS

Art-Nr. **P100002334**
EAN 7640121221545

Viking

Art-Nr. **P000647120**
EAN 7640121221026

PolierGUMMI

Art-Nr. **P000771340**
EAN 7640121221255



RxPLUS FULL TYPE

Art-Nr. **P100002337**
EAN 7640121221576

Rat

Art-Nr. **P000310204**
EAN 7640121220005

How to use the Polier Gummi.



OEM PARTNERS AND COMPATIBLE PRODUCTS

SwissStop is proud to work with many of the finest companies in the bicycle industry.

Wheelbuilders: Black Prince OEM partners and approved products

3T	Bontrager (since 2015)	EAS	FSE	Roadsailer	Ursus
AX-Lightness	Comet	Farsports	Full Tech	Rollingstone	Unaas
Bikebeat	DT Swiss	FFWD	Pro-Lite	Spinergy	Vision
BLKTEC Carbon	Easton	FSA	Royal	Tune	Zipp

Wheelbuilders: Yellow King OEM partners and approved products

Abrasio	Farsports	FSE	Mavic (carbon)	Zipp
Easton	FSA	Full Tech	Vision	

Wheelbuilders: BXP OEM partners

Xentis including carbon wheels	Tune alloy wheels	DT Swiss Oxic
--------------------------------	-------------------	---------------

Brakes: Original Black OEM

SRAM Rival
SRAM Apex

Custom compound for alloy

SRAM Force
SRAM Red

Yellow King OEM

Fouriers

Exclusive Compounds

Lightweight	Mavic Exalith 2	Zipp Platinum
-------------	-----------------	---------------

IMPORTANT: ALWAYS USE THE PAD RECOMMENDED BY YOUR WHEEL BUILDER.



2025
—

ENGLISH